



Airport Lighting Specialists



IWDI Illuminated Wind Direction Indicator

Features

- IWI lights are fully MOS139 compliant.
- Made in Australia for harsh conditions.
- Galvanized steel and stainless steel construction.
- We make them, so spares are always available.
- Many power supply options are available to suit your requirements
- Standard mounting bolt pattern allows easy installation when replacing your old IWDI
- Longest section is 4.0 m for easier freighting
- Low power consumption
- Can be solar powered (additional equipment required).
- Can be flashed, even on Primary AGL circuit (additional equipment required).

Colours


ALS IWDI socks are supplied as white.
Light colour is Neutral White.

Yellow IWDI socks are available.

Easy Mounting

Foundation cage kit included.



Contact us if you need more information – we can supply all the parts you need.



Dimensions

Installed height	9000 mm
Shipping:	
1 Crate	4000x 550 x550mm
2 Pallets	1200x 1200x 500mm
Packed weight	450 kg





Compliance

[Civil Aviation Safety Authority Australia](#)
Construction and illumination complies with

CASA Manual of Standards Part 139,
Ch 8, Section 8.7.2 & Ch 9, Section 9.6

Refer Test Report TR130904/07
NATA accreditation number 15508.





Airport Lighting Specialists Pty Ltd

Phone + 61 (0)3 9432 0511

Fax + 61 (0)3 9432 1952

sales@airportlighting.com.au

www.airportlighting.com.au

PO Box 94 Rosanna, Victoria, 3084, Australia

